

## TECHNICAL SPECIFICATIONS: An Croí

### General Details

<b>Stage Door Access (F.O.H.)</b>	Height: 8ft Width: 5ft 3in
<b>Stage Dimensions</b>	4m x 6m (flexible) Height stage to ceiling: 5m (approx.)  Staging system: 12 x deck platforms (2m x 1m), anthracite carpet finish 12 x 400mm height risers (2m x 1m) 3 x deck platforms (1m x 0.52m) 3 x risers (1m x 0.52m x 0.2m)
<b>Capacity</b>	180 theatre 140 cabaret 120 seated dinner 200 standing
<b>Tables &amp; Seating</b>	30 cabaret tables (a mixture of square and circle top)
<b>Power</b>	240v single phase 63A 3-phase
<b>Heating &amp; Air-conditioning</b>	Warm air heating system

**N.B. Various lecterns, tables, Music stands and stage seating available upon request. Please note that the below equipment does not come as standard but can be provided at a cost (POA) and is subject to availability.**

### Audio Equipment Details

<b>F.O.H. Audio Console / Mixing Desk</b>	Yamaha LS9-16
<b>Additional Audio consoles (F.O.H. / Monitors)</b>	MIDAS M32 Console Dynacord Powermate 1000
<b>Audio Playback</b>	1 x Denon DN C100 CD Player
<b>Wireless System</b>	1 x Trantec Wireless S5 Series, includes: 1 x Trantec handheld mic 1 x Trantec lapel mic 1 x bodypack & headworn mic
<b>Microphones &amp; DIs</b>	2 x Shure Beta 58 4 x Shure SM58 2 x Shure SM57 1 x Shure Beta 87 1 x Shure PG52 1 x Sennheiser E914

	<p>2 x Sennheiser E835          1 x Audio Technica ES915 SC18          6 x Radial JDI Passive          2 x Radial JDI Active</p>
<b>Speakers – Main PA</b>	<p>2 x Nexo PS 10 (flown)          2 x Nexo LS400 (ground stacked)          1 x Nexo NXAMP 4x1</p> <p>Additional speakers:          2 x EV SX300</p>
<b>Monitors</b>	5x QSC K Series
<b>Multi-core &amp; Returns</b>	<p>20 channel Multi          4 channel Returns</p>
<b>A/V</b>	<p>1 x Toshiba SD5010KB DVD Player          1 x Panasonic DMP 8065 BluRay Player          1 x Sanyo PLC XP100 True XGA 6500 ANSI Lumens LCD          1 x Unicol Projector Mount Bracket          1 x Electric Front projection screen 3m x 3m silver screen case          1 x Kramer Buffered laptop input plate Stainless steel (F.O.H.)          1 x IKON RGBHV/CV connection plate (technical booth)          1 x Kramer VP210XL buffered line driver PC/MAC connection (technical booth)</p>

## Lighting Systems & Equipment Details

<b>Lanterns (Stage)</b>	<p>Moving-Heads:          2 x Stairville MV250H Spot Halogen Moving Head 250W</p> <p>Generics:          6 x Source Four Zoom CE          6 x Source Four Par EA          2 x Par 64 X Y (Thomann)          6 x Acclaim Fresnel FRK 650          6 x HUI CYC/Flood RX7</p>
<b>Dimming</b>	4 x SmartPack Wall Mount Dimmer, 12x1200w (with SmartLink)
<b>Control Systems</b>	<p>1 x ETC SmartFade 1248          1 x ShowTec LED Commander</p>
<b>Effects</b>	Martin Magnum 2500 Hazer
<b>Gels &amp; Gobos</b>	The venue has a limited stock of colour filters and gobos. If you require any specific colours or designs we are happy to source these for you from our regular suppliers. Please note that if you wish to bring your own gobos our ETC Source4 Profiles take size B metal or glass gobos.

### Recording Equipment Details

<b>Audio Interface</b>	Focusrite Saffire 6 USB
<b>Camera</b>	Canon EOS 5D MkII
<b>Computer/DAW</b>	Apple iMac 21" Apple Logic Pro 9 Apple Final Cut Pro X

### Loading/Parking

<b>Car Park Access Times</b>	Mon – Fri: 07:30 – 18:00 Sat: 09:00 – 16:00 Sun: Closed  N.B. Use of the car park outside of these times may incur extra costs. Limited car park spaces are on offer and may be reserved by prior arrangement with management.
<b>Loading</b>	Loading through building's main entrance and through F.O.H. entrance. Backstage fire corridor can also be used. (please see venue drawings).